
Memorandum

Building and Property Standards Division

To:Tammie Grossman, Director, Community and Economic DevelopmentFrom:Steve Witt, Manager, Building & Property StandardsCc:David Powers, Director of Communications
BPS Division StaffSubject:Monthly Report – January 2014Date:02/13/14


The following graphs represent department workload and performance related to construction activities within the Village for the month of January 2014. In addition, noteworthy department activities and accomplishments in the month of January included:

- Staff responded to four emergency call-outs for vehicle damage to buildings, three of which had substantial structural damage.
- Chief Building Inspector Steve Touloumis achieved his certification as Master Code Professional, the highest certification offered by the International Code Council. Plans Examiner Ken Bauer and Plumbing Inspector James Dee have previously achieved that certification.
- 100% of the 14 respondents to the permit counter survey "agreed" or "strongly agreed" that their overall service experience was excellent.




Year-to-Date Permit Application Volume and Revenue Through end of January for Each Year (including Online Permits)

The number of permit applications received in January was about 14 percent lower than that in the previous month but only 4 cases less than in January of 2013.




Total number of plan review applications dropped about 30 percent from the previous month. As of the end of the month, there were 18 applications in the review queue with 5 cases overdue an average of 5 days.






With the exception of the most complex reviews, Category 4, each Category performed well above target goals for initial review pass rate.



Construction activity continued its winter slow down in January compounded by the sub-zero temperatures and above average snow falls.



Inspection Volume and Pass Rate

The overall pass rate for inspections continued to hover around the target pass rate.